

PRODUCT DATASHEET

Solda-Met™ 2C Liquid Flux

Solda-Met™ 2C is a relatively non-corrosive liquid flux recommended for use on copper and brass. It is active up to 350°C and is particularly effective with the tin based soft solders. The residues should be removed after soldering by immersion in hot or cold water.

Product Details

Composition:	Proprietary
Specification / Standard:	N/A
Active Range:	180-350°C

Conditions For Use

Read the Safety Data Sheet before use and wear protective equipment especially to eyes and skin.

First remove surface contamination from the parts to be soldered. They should be free from oil and grease; surface oxide should be mechanically removed. Carefully stir or shake the solder flux.

A layer of flux should be applied, using a paint brush, to the joint surfaces before assembly of the parts.

The flux residues of this product, left after completion of the soldering operation, are corrosive and should be removed. For best results soak the components in warm water and then rinse before drying.

Store flux at ambient room temperature with the lid on.

Forms of Supply

250ml, 1l plastic containers.

Vacuum Brazing Consultants Limited t/a VBC Group cannot anticipate all conditions under which this information and our products or the products of other manufacturers in combination with our products will be used. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is given in good faith, being based on the latest information available to VBC Group and is, to the best of VBC Group's knowledge and belief, accurate and reliable at the time of preparation. However, no representation, warranty or guarantee is made as to the accuracy or completeness of the information and VBC Group assumes no responsibility therefore and disclaims any liability for any loss, damage or injury howsoever arising (including in respect of any claim brought by any third party) incurred using this information. The product is supplied on the condition that the user accepts responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. Freedom from patent or any other proprietary rights of any third party must not be assumed.